


/home/spica/WorkingDirectoryPerExposure/2023-09-25/spica_raw_estimates_2023-09-25T03-28-57.rb/SPICA_02_2023-09-25T03-28-57_HD_195810_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-09-25/spica_raw_estimates_2023-09-25T03-28-57.rb/SPICA_03_2023-09-25T03-28-57_HD_195810_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-09-25/spica_raw_estimates_2023-09-25T03-28-57.rb/SPICA_04_2023-09-25T03-28-57_HD_195810_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-09-25/spica_raw_estimates_2023-09-25T03-28-57.rb/SPICA_05_2023-09-25T03-28-57_HD_195810_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-09-25/spica_raw_estimates_2023-09-25T03-28-57.rb/SPICA_06_2023-09-25T03-28-57_HD_195810_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-09-25/spica_raw_estimates_2023-09-25T03-28-57.rb/SPICA_07_2023-09-25T03-28-57_HD_195810_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-09-25/spica_raw_estimates_2023-09-25T03-28-57.rb/SPICA_08_2023-09-25T03-28-57_HD_195810_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-09-25/spica_raw_estimates_2023-09-25T03-28-57.rb/SPICA_09_2023-09-25T03-28-57_HD_195810_L1.fits





/home/spica/WorkingDirectoryPerExposure/2023-09-25/spica_raw_estimates_2023-09-25T03-28-57.rb/SPICA_10_2023-09-25T03-28-57_HD_195810_L1.fits





/home/spica/WorkingDirectoryPerExposure/2023-09-25/spica_raw_estimates_2023-09-25T03-28-57.rb/SPICA_11_2023-09-25T03-28-57_HD_195810_L1.fits






flux__2023-09-25T03-28-57
B1
B2
B3
B4
B5
B6
1000
500
0
0
100
200
300
400
500
600
Time(s)



SPICA.2023-09-25T03-30-02.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-09-25T03-31-09.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-09-25T03-32-15.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-09-25T03-33-21.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-09-25T03-34-27.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-09-25T03-35-33.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-09-25T03-36-39.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-09-25T03-37-45.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-09-25T03-38-52.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-09-25T03-39-58.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-09-25T03-30-02.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100



SPICA.2023-09-25T03-31-09.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100



SPICA.2023-09-25T03-32-15.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100



SPICA.2023-09-25T03-33-21.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100



SPICA.2023-09-25T03-34-27.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2023-09-25T03-35-33.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2023-09-25T03-36-39.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2023-09-25T03-37-45.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2023-09-25T03-38-52.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2023-09-25T03-39-58.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100