


/home/spica/WorkingDirectoryPerExposure/2023-10-17/spica_raw_estimates_2023-10-17T12-50-34.rb/SPICA_02_2023-10-17T12-50-34_HD_40183_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-10-17/spica_raw_estimates_2023-10-17T12-50-34.rb/SPICA_03_2023-10-17T12-50-34_HD_40183_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-10-17/spica_raw_estimates_2023-10-17T12-50-34.rb/SPICA_04_2023-10-17T12-50-34_HD_40183_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-10-17/spica_raw_estimates_2023-10-17T12-50-34.rb/SPICA_05_2023-10-17T12-50-34_HD_40183_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-10-17/spica_raw_estimates_2023-10-17T12-50-34.rb/SPICA_06_2023-10-17T12-50-34_HD_40183_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-10-17/spica_raw_estimates_2023-10-17T12-50-34.rb/SPICA_07_2023-10-17T12-50-34_HD_40183_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-10-17/spica_raw_estimates_2023-10-17T12-50-34.rb/SPICA_08_2023-10-17T12-50-34_HD_40183_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-10-17/spica_raw_estimates_2023-10-17T12-50-34.rb/SPICA_09_2023-10-17T12-50-34_HD_40183_L1.fits





/home/spica/WorkingDirectoryPerExposure/2023-10-17/spica_raw_estimates_2023-10-17T12-50-34.rb/SPICA_10_2023-10-17T12-50-34_HD_40183_L1.fits





/home/spica/WorkingDirectoryPerExposure/2023-10-17/spica_raw_estimates_2023-10-17T12-50-34.rb/SPICA_11_2023-10-17T12-50-34_HD_40183_L1.fits






flux__2023-10-17T12-50-34
B1
B2
B3
B4
B5
B6
10000
5000
0
0
100
200
300
400
500
600
Time(s)



SPICA.2023-10-17T12-51-39.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-10-17T12-52-45.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-10-17T12-53-52.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-10-17T12-54-58.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-10-17T12-56-04.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-10-17T12-57-10.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-10-17T12-58-16.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-10-17T12-59-22.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-10-17T13-00-28.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-10-17T13-01-35.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-10-17T12-51-39.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100



SPICA.2023-10-17T12-52-45.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100



SPICA.2023-10-17T12-53-52.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100



SPICA.2023-10-17T12-54-58.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100



SPICA.2023-10-17T12-56-04.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2023-10-17T12-57-10.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2023-10-17T12-58-16.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2023-10-17T12-59-22.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2023-10-17T13-00-28.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2023-10-17T13-01-35.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100