


/home/spica/WorkingDirectoryPerExposure/2023-12-18/spica_raw_estimates_2023-12-18T03-35-36.rb/SPICA_02_2023-12-18T03-35-36_HD_5394_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-12-18/spica_raw_estimates_2023-12-18T03-35-36.rb/SPICA_03_2023-12-18T03-35-36_HD_5394_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-12-18/spica_raw_estimates_2023-12-18T03-35-36.rb/SPICA_04_2023-12-18T03-35-36_HD_5394_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-12-18/spica_raw_estimates_2023-12-18T03-35-36.rb/SPICA_05_2023-12-18T03-35-36_HD_5394_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-12-18/spica_raw_estimates_2023-12-18T03-35-36.rb/SPICA_06_2023-12-18T03-35-36_HD_5394_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-12-18/spica_raw_estimates_2023-12-18T03-35-36.rb/SPICA_07_2023-12-18T03-35-36_HD_5394_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-12-18/spica_raw_estimates_2023-12-18T03-35-36.rb/SPICA_08_2023-12-18T03-35-36_HD_5394_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-12-18/spica_raw_estimates_2023-12-18T03-35-36.rb/SPICA_09_2023-12-18T03-35-36_HD_5394_L1.fits





/home/spica/WorkingDirectoryPerExposure/2023-12-18/spica_raw_estimates_2023-12-18T03-35-36.rb/SPICA_10_2023-12-18T03-35-36_HD_5394_L1.fits





/home/spica/WorkingDirectoryPerExposure/2023-12-18/spica_raw_estimates_2023-12-18T03-35-36.rb/SPICA_11_2023-12-18T03-35-36_HD_5394_L1.fits






flux__2023-12-18T03-35-36
B1
B2
B3
B4
B5
B6
4000
2000
0
0
100
200
300
400
500
600
Time(s)



SPICA.2023-12-18T03-36-41.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-12-18T03-37-47.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-12-18T03-38-53.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-12-18T03-39-59.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-12-18T03-41-05.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-12-18T03-42-11.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-12-18T03-43-18.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-12-18T03-44-24.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-12-18T03-45-30.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-12-18T03-46-36.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-12-18T03-36-41.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100



SPICA.2023-12-18T03-37-47.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100



SPICA.2023-12-18T03-38-53.fits
0
20
40
60
80
100
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2



SPICA.2023-12-18T03-39-59.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100



SPICA.2023-12-18T03-41-05.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2023-12-18T03-42-11.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2023-12-18T03-43-18.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2023-12-18T03-44-24.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2023-12-18T03-45-30.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2023-12-18T03-46-36.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100